



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2852/162/03/19/0818

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SOCIEDAD COMERCIAL DE MARKETING M&V SPA
AV. AMERICO VESPUCIO 2880 OF 304 CONCHALI,SANTIAGO CL
CHILE

Description

PPE Type : *protective glove against mechanical risks*

Product reference : TPR-ECU990

Article code : -

Glove description : 13 gauge HPPE liner, sandy nitrile palm coating, TPR pads on hand back, thumb crotch reinforcement gloves
SIZE:8",9",10",11"

Available sizes : 8 9 10 11

Pictures :



RESISTOR®

Sociedad Comercial de Marketing M&V Spa
Av. Américo Vespucio Norte 2880, Conchalí, Santiago, Chile



Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016

4 X 4 4 C P

* X indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the instruction for Use index 01 dated from MARCH 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 12 March 2019
End of validity date : 12 March 2024



www.ctcgroupe.com

cemarking@ctcgroupe.com

In application of the Regulation 2016/425 of the European parliament and the Council of 19th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

CTC - 4, rue Hermann Fréhel - 69367 Lyon - cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctc@ctcgroupe.com

Centre Professionnel de Développement Économique (CPDE) Cur Chausson Merisier Garenne
Ls 78454 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Original CTC



SOCIEDAD COMERCIAL DE MARKETING M&V SPA

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	TPR-ECU990
Article code	:	-
Technical file index	:	01
Last update	:	MARCH 2019

IDENTIFICATION

Reference of the product :	:	TPR-ECU990
Article code :	:	-
Basic Model		
Technical file index :	:	01
Last update :	:	MARCH 2019

Manufacturer :

SOCIEDAD COMERCIAL DE MARKETING M&V SPA
AV. AMERICO VESPUCIO 2880 OF 304 CONCHALI,SANTIAGO CL
CHILE

tel : + 56 2 262 33381

fax : + 56 2 262 33381

Factory :

GLOVE DESCRIPTION

General glove description :

13 gauge HPPE liner, sandy nitrile palm coating, TPR pads on hand back, thumb crotch reinforcement gloves
 SIZE:8",9",10",11"
 type of coating finish : sandy

Visual description (picture back and palm sides) :



Field of use

manufacturing industry mechanical risk, The liner is cut resistant and the TPR pads can absorb impact and shock to the back of the hand and fingers, it's for mechanical use.
 Applications are glass & metal handling, Mechanical Assembly, Construction, wood working, Transportation & Warehousing

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	8
250	9
260	10
270	11

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		black	nitrile	250G/M2	13	1mm
		grey/black	HPPE(high performance polyethylene)/glass fiber/nylon/polyester/spandex	180G/M2		
Back		black	nitrile	250G/M2	13	1mm
		grey/black	HPPE(high performance polyethylene)/glass fiber/nylon/polyester/spandex	180G/M2		
		black & yellow	pvc	3300G/M2		
Cuff		grey/black	HPPE(high performance polyethylene)/glass fiber/nylon/polyester/spandex/elastics			
Binding		blue	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed for against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	4
Cut Resistance method (EN ISO 13997)	C
Impact Protection	P

Impact protection is claimed on the following areas : Back metacarpal knuckles

The levels of performance have been measured on the palm (except Impact Protection)

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.


TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S180911423_1 S180912108_2 S171114885_1 S181114408_1(DMFu)	
EN 388	S180911423_1 S180911421_2	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : TPR-ECU990

Article Code : -

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :

RESISTOR[®]

Sociedad Comercial de Marketing M&V Spa
Av. Américo Vespucio Norte 2880, Conchalí, Santiago, Chile



Method of marking on the glove :

By sewing labels

Packaging :

12 pairs per polybag 72pairs per carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.

MEANS OF CONTROL

1. First we check the quality of the liner, including defects, color difference, grams, length, width and whether suit for the hand mould.
 2. Before dipping glove, we will first vulcanize the glue and do a test with some gloves. Then we start dipping on line, we put the glove liner on the hand mould, and dip the glove in the stock tank on the production line, after drying, soaking, and drying again, the dipped gloves will discharge from the production line, and we have line inspector to pick out the defective gloves.
 3. Then we packing the dipped gloves in packing room. We will pick out the defective gloves during packing process.
- Besides, we will re-test the products EN388 standard by our own laboratory on a quarterly basis.

INSTRUCTION FOR USE

SOCIEDAD COMERCIAL DE MARKETING M&V SPA
AV. AMÉRICO VESPUCIO 2880 OF 304 CONCHALI, SANTIAGO CL
CHILE

Glove reference : TPR-ECU990
Article code : -
User notice index : 01
Last update : MARCH 2019
Available sizes : 8 9 10 11



Glove description :

13 gauge HPPE liner, sandy nitrile palm coating, TPR pads on hand back, thumb crotch

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016



4 X 4 4 C P
Levels of performance

Abrasion resistance	4	(on 4 max)
Blade cut resistance	X	(on 5 max)
Tear resistance	4	(on 4 max)
Puncture resistance	4	(on 4 max)
Cut Resistance method (EN ISO 13997)	C	(A to F)
Impact Protection	P	

* X * indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove (except Impact protection).

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Impact protection is claimed on the following areas : Back metacarpal knuckles

Impact protection does not apply to the finger.

This glove doesn't protect against impact, the part on the back is only decorative

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises

PPE subject to ageing :

The design performance can not be significantly affected by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available with product.