



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2852/162/05/23/0874

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **SOCIEDAD COMERCIAL DE MARKETING MYV SPA**
Av. Americo Vespucio 1385, Bodega 34-35, Quilicura, Santiago
CHILE

Description

PPE Type : *protective glove against mechanical risks*

Product reference : FLEX77

Article code : EDO006 EDO007


Glove description : Golden yellow polycotton liner with black latex

Available sizes : EDO006(8) EDO007(9)

Pictures :



RESISTOR FLEX77



ADD: Av. Americo Vespucio 1385, Bodega 34-35, Quilicura, Santiago, Chile

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

3 1 4 1 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from MAY 2023

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Nadine PIPAZ
CE Expert Team Coordinator

Date of first issue : 31 May 2023
End of validity date : 31 May 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SOCIEDAD COMERCIAL DE MARKETING MYV SPA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	FLEX77
Article code	:	EDO006 EDO007
Technical file index	:	01
Last update	:	MAY 2023

IDENTIFICATION

Reference of the product :	:	FLEX77
Article code :	:	EDO006 EDO007
Basic Model		
Technical file index :	:	01
Last update :	:	MAY 2023

Manufacturer :

SOCIEDAD COMERCIAL DE MARKETING MYV SPA

Av. Amercio Vespucio 1385, Bodega 34-35, Quilicura, Santiago

CHILE

tel : 56 22 623 381

fax : 56 22 623 381

GLOVE DESCRIPTION

General glove description and intended use:

Golden yellow polycotton liner with black latex

This glove is designed against mechanical risks.

Type of coating finish : crinkle

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		Black	latex			0.3-0.6mm
		golden yellow	polyester/ cotton	280g/m2	10 Gauges	
Back		golden yellow	polyester/ cotton	280g/m2	10 Gauges	
Cuff		golden yellow	polyester/ cotton/ elastic	380g/m ²	10 Gauges	
Binding		green, blue	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5

Available size range: EDO006(8) EDO007(9)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S201111953_1 S221007039_2 (DMFu) S230301956_1 S210808338_1	
EN 388	S201111953_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : FLEX77

Article Code : EDO006 EDO007

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Marking of packaging example :



Method of marking on the glove :

Printing on back of gloves

Packaging suitable for transport:

12 pairs per one polybag; 120 pairs per one carton;

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

- 1:the factory director is responsible for the quality of products
- 2:the purchase department checks the quality of materials strictly ,every batch of materials must be fully qualified before production
- 3:during the production process ,our workers are divided into several teams,every team leader checks the quality in his team every one hour ,meanwhile ,the workshop manager inspects the product line randomly.Then we will send them to CTC to test EN388,EN ISO 21420 every month....
- 4:the whole production process is compliance with the law of envirmetal protection and other relevant laws
- 5:the packagers are responsible to make sure thej quantity is suffcient ,before delivery ,the quality control department must do the spot check and make sure all the products are qualified

INSTRUCTION FOR USE

SOCIEDAD COMERCIAL DE MARKETING MYV SPA

Av. Amercio Vespucio 1385, Bodega 34-35, Quilicura, Santiago

CHILE

Glove reference : FLEX77
Article code: EDO006 EDO007
User notice index : 01
Last update : MAY 2023

Glove description :

Golden yellow polycotton liner with black latex


This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

RESISTOR FLEX 77



ADD: Av. Amercio Vespucio 1385, Bodega 34-35,
Quilicura, Santiago, Chile

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: EDO006(8) EDO007(9)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN
388:2016 + A1:2018



Read carefully the instructions for use provided with the product



3 1 4 1 X

Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Contains natural rubber latex, which could cause allergic reactions, including anaphylactic choc.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.