



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/2852/162/10/19/3142**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**                    **Sociedad Comercial de marketing M&V SPA**  
Av. Americo Vespucio Norte 2880 of 304 Conchali , Santiago  
CHILE

**Description**

**PPE Type :**                            **protective glove against mechanical risks**  
**Product reference :**                **FLEX 66**  
**Article code :**                        **EDO661 / EDO662 / EDO663 / EDO664**  
**Glove description :**                **13G POLYESTER SHELL PU COATED GLOVES**  
**Available sizes :**                    **7(EDO661) 8(EDO662) 9(EDO663) 10(EDO664)**  
**Pictures :**



**LOT** .....  
.....  
Sociedad Comercial de marketing M&V SPA  
Av. Americo Vespucio Norte 2880 of 304  
Conchali , Santiago,  
Chile.  
<https://exoset.cl/>

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**3 1 3 1 X**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from OCTOBER 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
**Maxence DREVET**  
Project Certification Manager

**Date of first issue :** 24 October 2019  
**End of validity date :** 24 October 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**Sociedad Comercial de marketing M&V SPA**

# **MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425**

<b>Reference of the product</b>	:	<b>FLEX 66</b>
<b>Article code</b>	:	<b>EDO661 / EDO662 / EDO663 / EDO664</b>
<b>Technical file index</b>	:	<b>01</b>
<b>Last update</b>	:	<b>OCTOBER 2019</b>

## IDENTIFICATION

Reference of the product :	:	FLEX 66
Article code :	:	EDO661 / EDO662 / EDO663 / EDO664
Basic Model		
Technical file index :	:	01
Last update :	:	OCTOBER 2019

### **Manufacturer :**

Sociedad Comercial de marketing M&V SPA  
Av. Americo Vespucio Norte 2880 of 304 Conchali , Santiago  
CHILE  
tel : 56-2-26233381  
fax : 56-9-73353782

### **Factory :**

HXT GLOVES CO., LTD.  
RM15A28, IEC BLDG, BEIJING RD, LINYI, SHANDONG  
CHINA  
tel: 86-539-8207817  
fax: 86-539-8318881

## GLOVE DESCRIPTION

### General glove description :

13G POLYESTER SHELL PU COATED GLOVES  
 type of coating finish : smooth

### Visual description (picture back and palm sides) :



### Field of use

Gloves used for handling on general industry logistic, construction, manufacturing industry (automobile, aeronautics), transportation

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)		
	Applicable	Covered by
§1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

### Available sizes :

Minimum length of glove (mm)	Sizes
230	7(EDO661)
240	8(EDO662)
250	9(EDO663)
260	10(EDO664)

**Glove constitution :**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		black	PU	300g/sqm		0.7MM
		black	polyester	300g/sqm	13Gauges	
Back		black	polyester	300g/sqm	13Gauges	
Cuff		black	polyester/elastic	350g/sqm	13Gauges	
Binding		Yellow, Green, Blue	POLYESTER			

**PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This glove is designed against mechanical risks.  
It is a category II product.

**GENERAL REQUIREMENTS****Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

**SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS****Mechanical hazard EN 388 : 2016**

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190301943_1 S160605425_1 S170100023_1 S180303569_1 S190100589_1(DMFU)	
EN 388	S190301943_1 S190303763_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : FLEX 66

Article Code : EDO661 / EDO662 / EDO663 / EDO664

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



### Method of marking on the glove :

PRINTING THE LOGO IN GLOVES,HEADER CARD,POLY BAG,CARTON

### Packaging :

EACH GLOVES PRINTING LOGO,EACH GLOVE WITH HEADER CARD, 12PAIRS PER DOZEN IN

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available with product.

Available on : <https://exoset.cl/>

## MEANS OF CONTROL

### 1. Material Selection:

One of very important aspect of quality control is our strict criteria of material for all our products. Every material has to go through initial inspection by our quality control department each time before the purchase.

Profile of all types of material is maintained by purchase department which always in seach of best and un-harmful material such as dye, yarn, binding, latex. A library of approved samples is also maintained for quick and effective reference.

### 2. Material Receipt & Inspection:

The material is inspected at the time of arrival in the factory and on second time when it is issued to production. Every activity is documented on duly approved forms and documents including initial quality control inspection.

The quality control checklists have been developed for every material. Quality control inspection and tests are carried out by our quality control inspectors who have been empowered to accept or reject any material according to the quality criteria required.

In house quality control laboratory tests as well as outdoor quality test, when required, are carried out by the quality control department. The quantities of material are also matched with approved samples of material at this juncture to check the level of quality of all inputs.

### 3. Knitting Gloves:

The material bundles that contain the material required for knitting a glove is handed over to Knitting Department. These bundles are distributed to workers who have been provided with top knitting machines and accessories for producing finest quality of gloves according to the sizes of customers.

### 4. Dipping Gloves:

Finished knitting gloves liner, latex, dye and other accessorial material are handed over to Dipping Department, workers use the advanced automatic machine to dipping gloves.

The production lineman and quality control inspectors keep strict eye on dipping. The fit, strength, latex crinkle surface ant other characteristics of gloves are checked and controlled.

### 5. Final Inspection:

In production operations, strict inspection and quality control measures are taken to maintain quality and regularity in production and products. Each and every step is controlled, checked, evaluated and reported to the concerned authorities.

A strict final inspection is carried out before the packing in order to maintain the compliance of European quality control criteria and customer requirements. Our QC wil pick up some samples in every batch and do Abrasion, Cut tests and so on under EN388 and EN420.

### 6. Packing:

Properly marked cartons, boxes and other packaging of right size and material is used to reach final destination without loss of or damage to the goods. The right way of placing and correct quantities of goods are checked, counted and recorded systematically and reported by quality control department.

### 7. Shipping:

The export department is assigned to book goods on well reputed sea which have safest and fastest routes. Quality inspection of export and shipping departments and arrangement is carried out to make mistake and error free export documentation.

## INSTRUCTION FOR USE

Sociedad Comercial de marketing M&V SPA  
Av. Americo Vespucio Norte 2880 of 304 Conchalí , Santiago  
CHILE

Glove reference : FLEX 66  
Article code: EDO661 / EDO662 / EDO663 / EDO664  
User notice index : 01  
Last update : OCTOBER 2019  
Available sizes : 7(EDO661) 8(EDO662) 9(EDO663) 10(EDO664)



LOT .....  
.....  
Sociedad Comercial de  
marketing M&V SPA  
Av. Americo Vespucio  
Norte 2880 of 304  
Conchalí , Santiago,  
Chile.  
<https://exoset.cl/>

### Glove description :

13G POLYESTER SHELL PU COATED GLOVES

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388 : 2016



3 1 3 1 X

Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

### Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available with product.

Available on : <https://exoset.cl/>