



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/955/162/08/19/2547 EXT 01/08/19

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI
CHINA

Description

PPE Type : *protective glove against mechanical risks*
Product reference : 10003010
Article code : /
Glove description : Nitrile fully coated gloves, cotton liner, safety cuff
Available sizes : 8 9 10 11 12
Pictures :



VENNER ART.: 10003010
SIZE: 10

EN388  

 4122X **Room 506, No. 23,
Lane 423, Xincun Road,
Shanghai, China**

Reference standard : **Levels of performance / class of protection**

EN 420:2003+A1:2009	-
EN 388:2016	4 1 2 2 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for use index 01 dated from AUGUST 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Didier GUISSADO
Certification and Quality Manager

Date of first issue : 28 August 2019
End of validity date : 28 August 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	10003010
Article code	:	/
Technical file index	:	01
Last update	:	AUGUST 2019

IDENTIFICATION

Reference of the product :	:	10003010
Article code :	:	/
Minor Variant	:	10004010
Technical file index :	:	01
Last update :	:	AUGUST 2019

Manufacturer :

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI
CHINA

tel : 0086-21-32092351
fax : 0086-21-32092350

Factory :

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI
CHINA

tel: 0086-21-32092351
fax: 0086-21-32092350

GLOVE DESCRIPTION

General glove description :

Nitrile fully coated gloves, cotton liner, safety cuff
type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

construction, lumbering for mechanical risks, splinter protection, machine repairing, gardening

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	8
250	9
260	10
270	11
280	12

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		BLUE	NITRILE	380g/m2		0.80MM
		BEIGE	COTTON	250g/m2	32	
Back		BLUE	NITRILE	380g/m2		0.80MM
		BEIGE	COTTON	250g/m2	32	
Cuff		BEIGE	COTTON/PASTE	600g/m2		
Binding	OMA10078	BLUE	COTTON			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed for against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190301814_1 S160403415_1 S160807508_1 S160403413_1 S190100989_1(DMFu)	
EN 388	S190100683_1 S160403415_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 10003010

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Method of marking on the glove :

Printing on the back of gloves.

Packaging :

One dozen pairs in a polybag. 10 dozen pairs in an export carton.

PPE subject to ageing :


Peremption period : 2 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.

MEANS OF CONTROL

- 1) Regular occupation training.
- 2) Technicians in charge of sourcing the qualified materials, e.g. Acrylic and yarn.
- 3) Before sewing, the raw materials are tested in accordance with the EN420+AZO Dyes.
- 4) Automatic sewing machines guarantee good stitchwork and workmanship.
- 5) Cutting with moulds to ensure the accurate size and shape of products.
- 6) Dipping with production line and by automatic machines to guarantee average quality.
- 7) During the production, the tests are made to check the PH, CrVI, AZO DYES.
- 8) Every month, we make the tests to ensure the finished products in accordance with the EN388 and EN420.
- 9) Practical inspectors check the products by 100% to ensure all the products are with good quality.
- 10) A vice director take responsibility for quality control of all above process.



INSTRUCTION FOR USE

SHANGHAI OMA SAFETY PRODUCTS CO., LTD.
ROOM 506, NO. 23, LANE 423, XINCUN ROAD, SHANGHAI
CHINA

Glove reference : 10003010
Article code: /
User notice index : 01
Last Update : AUGUST 2019
Available sizes : 8 9 10 11 12



Glove description :

Nitrile fully coated gloves, cotton liner, safety cuff

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21st, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016



4 1 2 2 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	2	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

Peremption period : 2 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.